



Community Infection Prevention and Control Policy for General Practice

(also suitable for adoption by other healthcare providers)

Invasive devices

INVASIVE DEVICES

Version 2.00
July 2021

Please note that the internet version is the only version that is maintained. Any printed copies should, therefore, be viewed as 'uncontrolled' and as such, may not necessarily contain the latest updates and amendments.

This document has been adopted as a Policy by:

Organisation:

Signed:

Job Title:

Date Adopted:

Review Date:

If your organisation would like to exclude or include any additional points to this document, please include below. Please note, the Community IPC Team cannot endorse or be held responsible for any addendums.

Community Infection Prevention and Control
Harrogate and District NHS Foundation Trust
Gibraltar House, Thurston Road
Northallerton, North Yorkshire. DL6 2NA
Tel: 01423 557340
email: infectionprevention.control@nhs.net
www.infectionpreventioncontrol.co.uk

Legal Disclaimer

This Policy produced by Harrogate and District NHS Foundation Trust is provided 'as is', without any representation endorsement made and without warranty of any kind whether express or implied, including but not limited to the implied warranties of satisfactory quality, fitness for a particular purpose, non-infringement, compatibility, security and accuracy.

These terms and conditions shall be governed by and construed in accordance with the laws of England and Wales. Any dispute arising under these terms and conditions shall be subject to the exclusive jurisdiction of the courts of England and Wales.

Contents	Page
1. Introduction.....	4
2. Definition of an invasive device.....	4
3. Examples of invasive devices	4
4. Period of use	5
5. Inserting an invasive device.....	5
6. Managing an invasive device.....	6
7. Infection Prevention and Control resources, education and training.....	6
8. References	7

INVASIVE DEVICES

1. Introduction

An invasive device provides an entry point for microorganisms, such as bacteria and viruses, to enter the body and is a potential source for introducing infection.

All staff involved in inserting or managing an invasive device should be educated about the standard principles of infection prevention and control (IPC). Information on this policy should be included in IPC training for all relevant staff groups.

Always use standard infection control precautions and, where required, transmission based precautions (SICPs and TBPs), refer to the 'SICPs and TBPs Policy for General Practice'.

GP Practices should ensure regular audits to monitor compliance with the Policy are undertaken and to provide assurance.

2. Definition of an invasive device

Invasive device

A device which, in whole or in part, penetrates inside the body, either through a body orifice or through the surface of the body.

Surgically invasive device

A device which penetrates inside the body through the surface of the body, with the aid of or in the context of a surgical operation/procedure.

3. Examples of invasive devices

Below are some examples of invasive devices, this list is not exhaustive:

- Vascular access devices:
 - Peripheral vascular access device
 - Central venous access device, e.g. peripherally inserted central catheter (PICC), skin-tunnelled catheter, implanted port
- Urinary catheters
- Suprapubic catheters
- Wound drains

- Gastrostomy tubes
- Subdermal contraceptive implants
- Intrauterine devices

4. Period of use

The length of time an invasive device can be used for is categorised as follows:

- **Transient**
Normally intended for continuous use for less than 60 minutes
- **Short term**
Normally intended for continuous use for not more than 30 days
- **Long term**
Normally intended for continuous use for more than 30 days

5. Inserting an invasive device

- Prior to insertion, the need for any invasive device should be evaluated and any alternative methods be considered.
- Only staff trained and deemed competent in aseptic technique, refer to the 'Aseptic technique Policy for General Practice', and the insertion of the type of device being inserted should perform the procedure. An aseptic technique competency and procedure audit tool can be downloaded at www.infectionpreventioncontrol.co.uk.
- The insertion should take place in a clinical environment, e.g. treatment room.
- Ensure all care equipment used for the procedure is sterile, the packaging is intact and equipment within the expiry date.
- Prior to inserting a device through the skin, appropriate skin decontamination should be performed, e.g. 2% Chlorhexidine in 70% alcohol.
- SICPs and TBPs and aseptic technique should be applied during the insertion of the device. Refer to the 'SICPs and TBPs Policy for General Practice' and the 'Aseptic technique Policy for General Practice'.
- Details of the device, reason for insertion and date inserted, should be recorded in the patient's notes.

6. Managing an invasive device

Only staff trained and deemed competent in manipulation of the type of device inserted should perform the procedure. If staff are unfamiliar with a particular device, advice and protocols should be obtained from the relevant specialist nurses in secondary care.

The need for an invasive device must be reviewed regularly and the device should be removed as soon as possible.

The principles of care for any invasive device are to:

- Prevent infection
- Maintain a 'closed' system with as few connections as possible to reduce the risk of contamination
- Keep the device patent
- Prevent damage to the device and any attachments

SICPS and TBPs and aseptic technique should be applied when manipulating the device.

Any signs or symptoms of infection associated with the device should be recorded in the patients' notes and applicable action taken. Seek further appropriate advice as required, e.g. Specialist Nurse, Consultant Microbiologist.

7. Infection Prevention and Control resources, education and training

The Community Infection Prevention and Control (IPC) Team have produced a wide range of innovative educational and IPC resources designed to assist your Practice in achieving compliance with *The Health and Social Care Act 2008: Code of Practice on the prevention and control of infections and related guidance* and CQC registration requirements.

These resources are either free to download from the website or available at a minimal cost covering administration and printing:

- 25 IPC Policy documents for General Practice
- 'Preventing Infection Workbook: Guidance for General Practice'
- 'IPC CQC inspection preparation Pack for General Practice'
- IPC audit tools, posters, leaflets and factsheets
- 'IPC Bulletin for GP Practice Staff'

In addition, we hold educational study events in North Yorkshire and York and can arrange bespoke training packages and 'Mock IPC CQC Inspections'. Prices vary depending on your requirements and location.

Further information on these high quality evidence-based resources is available at www.infectionpreventioncontrol.co.uk.

8. References

Department of Health (2015) *The Health and Social Care Act 2008: Code of Practice on the prevention and control of infections and related guidance*

European Commission (July 2010) *Guidelines relating to the application of The Council Directive 93/42/EEC on medical devices*

National Institute for Health and Care Excellence (March 2016) *Quality and Productivity case study*

National Institute for Health and Care Excellence (March 2012, updated February 2017) *Healthcare-associated infections: prevention and control in primary and community care. Clinical Guideline 139*

National Institute for Health and Care Excellence (February 2006, reviewed July 2017) *Nutrition support for adults: oral nutrition support, enteral tube feeding and parental nutrition*

Royal Marsden NHS Foundation Trust (2020) *The Royal Marsden Hospital Manual of Clinical and Cancer Nursing Procedures 10th Edition*